

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	67	(OLED LED) and (TFT thin film transistor) and (plural\$3 multiple) adj (storage capacitor) with switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 15:54
S2	33	S1 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 15:54
S3	13874	(OLED LED) and (TFT thin film transistor) and (storage capacitor) with switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 16:11
S4	486	S3 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 15:55
S5	179	S4 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 16:11
S6	261	(OLED LED) and (TFT thin film transistor) and (storage capacitor) with switch\$3 and 315/169.1,169.3, 169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 16:12
S7	149	S6 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:18

EAST Search History

S8	2751	(OLED LED) and (TFT thin film transistor) and (storage capacitor) and (first and second) adj (voltage power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:23
S9	4796	(OLED LED) and (TFT thin film transistor) and (storage capacitor) and (first second third) adj (voltage power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:23
S10	4620	S9 and (threshold voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:26
S11	208	S10 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:26
S12	58	S11 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:27
S13	119	S10 and 315/169.1-169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:27
S14	51	S13 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:28

EAST Search History

S15	0	(LED OLED) and (power supply) and (TFT thin film transistor and storage capacitor) with threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:43
S16	4	(LED OLED) and (power supply) and (TFT thin film transistor) and (storage capacitor) and threshold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:45
S17	1002	(LED OLED) and (TFT thin film transistor) and (capacitor storage) with (first second) adj switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:48
S18	153	S17 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:48
S19	41	S18 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:57
S20	81	S17 and 315/169.1-169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/23 17:58
S21	721	(OLED LED) and (TFT thin film transistor)with (first second third) adj voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 07:10

EAST Search History

S22	102	S21 and (first second) adj (storage capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 07:11
S23	42	S22 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 07:11
S24	4309	(OLED LED) and (TFT thin film transistor) and (storage capacitor) with (current Idata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:08
S25	222	S24 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:09
S26	92	S25 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:23
S27	128	S24 and 315/169.1-169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:23
S28	75	S27 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:30

EAST Search History

S29	1034	(OLED LED) and (current source Idata) and (TFT thin film transistor capacitor) and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:31
S30	936	S29 and 345/76,82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:32
S31	763	S30 and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:33
S32	357	S31 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 08:33